| Notice of Allowability | Application No. | Applicant(s) |
|--|------------------------------------|-----------------------------|
| | 10/722,360 | HEINECK et al. |
| | Examiner | Art Unit |
| | Lee, Calvin | 2825 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to | | |
| 2. The allowed claim(s) is/are <u>1-16</u> . | | |
| 3. The drawings filed on are accepted by the Examiner. | | |
| 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date hereto. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| attached Examiner's comment regarding REQUIREMENT | FOR THE DEPOSIT OF BIOLOGICA | AL IWATERIAL. |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) | 5. C Notice of Informal P | atent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. ☐ Interview Summary | , , , , , |
| Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 11/26/03 | Paper No./Mail Dat | e <u></u> |
| 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8. ⊠ Examiner's Stateme 9. □ Other | nt of Reasons for Allowance |
| · | | |

Application/Control Number: 10/722,360

Docket: 543822002100 HEINECK et al.

OFFICE ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312

IN THE FIGURES: Figs. 1 and 2A-B were labeled "PRIOR ART"

Allowable Subject Matter

2. Claims 1-16 are allowed. Following is the reason for allowance:

US 6,426,253 to *Tews et al* discloses, *inter alia*, forming a trench capacitor having a capacitor dielectric, a conductive filling 110, and a collar 106 in a substrate 100, wherein the conductive filling being sunk in the upper trench region with respect to the top side of the substrate; carrying out an oblique implantation into the trench [Fig. 4] for altering the properties of a partial region of a topmost liner; and forming a mask from the partial region of the topmost liner [Figs.7-10 and cols. 7-8]. However, *Tews et al* does not teach completing a connection region on one side and an insulation region on the different side of a buried contact by removing and <u>replacing a part of the filling and/or a part of the insulation collar</u> using the liner mask

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance.

Contact Information

4. Any inquiry concerning this communication from the Examiner should be directed to *Calvin Lee* at (571) 272-1896 from 7:00 to 17:00 (Monday-Thursday). If attempts to reach the examiner by telephone are unsuccessful, Art Unit 2825's Supervisory Patent Examiner *Matthew Smith* can be reached at (571) 272-1907.

Any inquiry relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0596. The central fax number is (703) 872-9306 for all communications to be entered (e.g., amendments, remarks, IDS, etc.)

CL

October 21, 2004

MATTHEW SMITH
UPERVISORY PATENT EXAMINER
HERWALLOGY CENTER 2800

Page 2